3

1

2

What is claimed:

- 1. An incoming mail monitoring system, said system comprises:
- a data base that stores unique information affixed to mail;
- a plurality of recipient addressee units that reads and stores the unique
- 4 information contained on the mail after the mail has been delivered to the recipient; and
- a data center that receives information stored by the data base and the

recipient's units to identify the mailer to the recipient and assess the possibility of the

presence of life-harming material in the mail.

- 2. The system claimed in claim 1, wherein the data base stores unique information contained in a postal indicia.
- 3. The system claimed in claim 2, further including a mailer's unit that communicates with the data base and stores in the data base the time and date that the postal indicia was affixed to the mail.
- 4. The system claimed in claim 2, wherein the data center correlates the recipient address of the mail with unique information contained in the postal indicia.
- The system claimed in claim 1, wherein the data base stores a unique code contained in a stamp.

2

- 1 6. The system claimed in claim 1, wherein the data base stores a unique
- 2 code contained in a label.
- 7. The system claimed in claim 1, wherein the recipient units include a
- 2 scanner that reads postal indicia that is affixed to mail.
- 1 8. The system claimed in claim 7, wherein the scanner captures and
- 2 interprets the information contained in the postal indicia.
 - 9. The system claimed in claim 1, wherein the recipient units include a scanner that reads a unique code that is contained in a stamp that is affixed to mail.
 - 10. The system claimed in claim 1, wherein the recipient units include a scanner that reads a unique code that is contained in a label that is affixed to mail.
- 1 11. The system claimed in claim 1, further including:
- a plurality of receptacles that reads, stores and communicates to the data center
- 3 unique information appearing on mail.

- 1 12. The system claimed in claim 11, wherein the unique information appearing
- 2 on mail is stored in the data base.
- 1 13. The system claimed in claim 12, wherein the scanner is located in a
- 2 control chamber.
- 1 14. The system claimed in claim 12, wherein the control chamber has a locked
- 2 door for isolating suspect mail.
 - 15. The system claimed in claim 12, wherein the receptacle further comprises: an inner chamber that receives mail from the control chamber that is not suspected of having life harming material.
 - 16. The system claimed in claim 12, wherein the inner chamber has a locked door in which when open mail may be removed from the inner chamber.
- 1 17. The system claimed in claim 12, further including a slot for depositing mail 2 into the control chamber.
- 1 18. The system claimed in claim 8, further including: means for closing the slot 2 when the mail in the control chamber is suspected of containing life harming
- 3 substances.

- 1 19. The system claimed in claim 1, wherein the recipient's units comprise:
- 2 electronic postage units.
- 1 20. The system claimed in claim 1, wherein the recipient's units comprise
- 2 personal computer meters.